BAND & BUCKLE PRODUCTS



BAND-IT® Band 201 & 316 Stainless Steel • With Easy-Scale 100 Ft. per roll (30.5m)

PART NUMBER	PART NUMBER	WIDTH		THICKNESS		WEIGHT	
201 SS	316 SS	IN.	MM	IN.	MM	LBS	KGS
C202	_	1/4	6.35	0.020	0.51	1.7	0.8
C203	C403	3/8	9.53	0.025	0.63	3.2	1.5
C204	C404	1/2	12.70	0.030	0.76	5.1	2.3
C205	C405	5/8	15.88	0.030	0.76	6.4	2.9
C206	C406	3/4	19.05	0.030	0.76	7.7	3.5

Available in mill coil lengths. All sizes in standard cardboard packaging. All sizes except C202 available in plastic dispensers (see table below).

201 Stainless Steel Band

- Band & Buckle can be quickly formed to suit virtually any diameter.
- 201 SS, bright annealed finish sets the standard with a combination of high strength and quality appearance.
- Offers good resistance to oxidation and many moderate corrosive agents.
- Easy Scale Patented imprint on the band to enable precise use of band without waste.
- Dispensers durable plastic dispensers available with centre turn facility and pocket for buckles.



C001 / C003 / C400 / J020 / J075

See pages 26-29 for full details on TOOLS and their specifications.



BAND-IT® Buckles 201 Stainless Steel • Pack Qty – 100

PART	WI	OTH	WEIGHT		
NUMBER	IN.	MM	LBS	KGS	
C252*	1/4	6.35	0.3	0.1	
C253	3/8	9.53	0.8	0.4	
C254	1/2	12.70	2.1	1.0	
C255	5/8	15.88	2.4	1.1	
C256	3/4	19.05	3.7	1.7	



BAND-IT® Buckles 316 Stainless Steel • Pack Qty – 100

PART	WIE	OTH	WEIGHT		
NUMBER	IN.	MM	LBS	KGS	
C453	3/8	9.53	0.8	0.4	
C454	1/2	12.70	2.1	1.0	
C455	5/8	15.88	2.4	1.1	
C456	3/4	19.05	3.7	1.7	



BAND-IT® Band Dispensers 201 & 316 Stainless Steel 100 Ft. per roll (30.5m) • Plastic Dispenser complete with band

PART NUMBER	PART NUMBER	WIDTH		DESCRIPTION	THICKNESS		WEIGHT	
201 SS 316 SS		IN.	MM		IN.	MM	LBS	KGS
C203Y	C403Y	3/8	9.53	Band + Yellow Dispenser	0.025	0.63	3.62	1.6
C204B	C404B	1/2	12.70	Band + Blue Dispenser	0.030	0.76	5.56	2.5
C205G	C405G	5/8	15.88	Band + Green Dispenser	0.030	0.76	6.85	3.1
C206R	C406R	3/4	19.05	Band + Red Dispenser	0.030	0.76	8.16	3.7

1/4" (6.35mm) band not available in dispenser



^{*} Free-End Clip design (1/4", 6.35mm only)

Hand Tools

AE201 Tensioning Hook



Use with BAND-IT® Ties / Multi-Lok Ties to tension cable ties.

AE200 Cable Tie Tensioner



Use with BAND-IT® Ties / Multi-Lok Ties to tension cable ties.

A910 Mini Tie-Lok II Tool



For applying 4.5mm wide smooth ID Mini Tie-Lok® ties for cable bundling and identification tagging. Forms unique dimple lock with a strong locking force and cuts off the excess band flush with top of buckle so the completed lock is smooth and not sharp.

- Forms dimple lock with a loop tensile strength in excess of 100 pounds (445N)
- Adjustable controlled tension with repeatable results
- Easy to use, lightweight, compact design

A920 Tie-Lok® II Tool



Applies 6.35mm wide smooth ID Tie-Lok® ties used in cable bundling and identification tagging. Locks tie with the patented Tie-Lok® and cuts off excess band flush with top of buckle so the completed lock is smooth and not sharp.

- Forms dimple lock with a loop tensile strength in excess of 250 pounds (890N)
- Adjustable controlled tension with repeatable results
- Easy to use, lightweight, compact design

A940 ULTRA-LOK® Tool



Applies 6.35mm wide Smooth ID Tie-Lok® ties. Locks tie with patented Ultra-Lok® cut-off for increased loop tensile strength in excess of 400Lbs (1776N).



C001 BAND-IT® Tool



For use on band widths of 3/16" to 3/4". Comes with a spin handle retaining ring to keep parts intact.

- Able to tension over 2,400 Lbs of force and cuts off the tail of the clamp being formed
- Used to apply BAND-IT® Uncoated Stainless Steel Band
- Drop forged tool with built in cutter
- Spring loaded gripper lever improves ease of use
- Blue epoxy powder coated finish resists corrosive elements

C075 Bantam Tool



BAND-IT® Bantam tool is a compact, lightweight, ratchet action tool with built in cutter.

- 3 way handle adjusts for one or two-handed tensioning
- Zinc plated for corrosion resistance
- Useful in tight areas with minimal access
- Designed for easy loading and removing of material
- Use with coated and uncoated BAND-IT® ties, Coated Band, Coated BAND-FAST™ or Valustrap up to 19mm wide

C400 Ratchet Tool



Heavy duty tensioner for 3/8" to 3/4" stainless steel in thickness up to 0.030". Highly portable, fast, reliable ratchet type tool. For sign hanging, insulation work and other banding applications.

- Tensions and cuts off the tail of the clamp being formed
- Used to apply BAND-IT® Stainless steel bands
- Designed for easy loading and removing of material
- Tool for use with medium strength applications

Hand Tools

J075 Thriftool®



Use with 1/2" wrench to tension. Uncoated band up to 3/8" wide. Does not contain a built in cutter.

J020 Pok-It II Tool



Lightweight pocket sized ratchet tool. Use to tension uncoated band up to 3/8" wide. Incorporates cutter lever.

K502 Ball-Lok Tool



Install Ball-Lok stainless steel ties (up to 7.9mm wide) quickly and easily with the lightweight, portable Ball-Lok tool with adjustable tension, side loading and automatic tail cut-off.

KE922 Tensioning Tool



Tensions and cuts off Ball-Lok and Multi-Lok ties up to 12mm wide regardless of material or coating. Encorporates a manual cut off lever.

M503 Multi-Lok Hand Tool



Quickly, easily and consistently applies any size Multi-Lok ties. Simply adjust the Multi-Lok tool for the desired tension, side load the tie into the tool and squeeze the handle. When the proper tension is reached, the Multi-Lok tool automatically cuts the tail off close to the buckle.



Power Tools

UL4000 Cordless Tool



- Fully portable battery operation
- Adjustable speed and torque
- Consistent application tensioning
- Applies both widths of Ultra-Lok Free-End Clamp*
- One person operation
- Weight 3.88 Lbs (8.56 Kgs)

UL9010 Electric Tool



- Adjustable speed and torque
- Consistent application tensioning
- Applies both widths of Ultra-Lok Free-End Clamp*
- No roll-up of hose required
- One person operation
- Weight 4.3 Lbs (9.48 Kgs)

*1/2" Ultra-Lok clamps require M09387 shear plate fitted to tool

Tool weights

PART	DESCRIPTION	TOOL V	VEIGHT	PACKAGE WEIGHT		
NUMBER		Kgs	Lbs	Kgs	Lbs	
AE201	Tensioning hook	0.02	0.04	0.02	0.04	
AE200	Cable tie tensioner	0.26	0.57	0.32	0.71	
A910	Mini Tie-Lok II tool	0.54	1.19	0.58	1.28	
A920	Tie-Lok II tool	0.54	1.19	0.58	1.28	
A940	Ultra-Lok tool	0.54	1.19	0.58	1.28	
C001	Band-it tool	1.86	4.10	2.02	4.45	
C075	Bantam tool	1.04	2.29	1.18	2.60	
C400	Ratchet tool	1.44	3.18	1.52	3.35	
J057	Thriftool	0.26	0.57	0.26	0.57	
J020	Pok-It II tool	0.4	0.88	0.48	1.06	
K502	Ball-Lok tool	0.54	1.19	0.58	1.28	
KE922	Tensioning tool	0.56	1.23	0.64	1.41	
M503	Multi-Lok hand tool	0.54	1.19	0.58	1.28	
UL4000	Cordless tool	3.88	8.56	10.04	22.14	
UL9010	Electric Tool	4.3	9.48	6.02	13.27	