

Coated and Uncoated Stainless Steel Band & Clips



BAND-IT® PPA Coated and Uncoated Stainless Steel Band.

- Recommended in applications where vibration is a concern
- 316SS band available with Performance Polymer Alloy PPA 571 coating that protects against effects of vibration and contact of dissimilar metals
- Resistant to chemicals, salt spray and UV light
- Apply using BAND-IT® AE Series 316 Stainless Steel Clips and the C075 Bantam Tool
- Available in coils or pre-cut lengths with clip encapsulated at end (see page 11 – BAND-FAST™ clamps)
- Any Austenitic stainless steel grade also available



Coated C075 / C400

Uncoated C001 / C075 / C400

See pages 26-29 for full details on TOOLS and their specifications.

PPA Coated 316 and 201 Stainless Steel Band

PPA 571 Coated • Pack Qty – 1

PART NUMBER 316 SS	PART NUMBER AA SS	WIDTH		LENGTH		WEIGHT	
		IN.	MM	FT	M	LBS	KGS
AE432	–	1/4	6.35	82.5	25	2.0	0.9
AE433	AE933	3/8	9.53	82.5	25	2.6	1.2
AE434	AE934	1/2	12.70	82.5	25	3.5	1.6
AE435	AE935	5/8	15.88	82.5	25	4.4	2.0
AE436	AE936	3/4	19.05	82.5	25	5.3	2.4



Approximate thickness = 0.048" (1.22mm), when coated
Steel thickness before coating = 0.015" (0.38mm)

Uncoated 316 Stainless Steel Band

Pack Qty – 1 • Thickness = 0.015" (0.38mm)

PART NUMBER	WIDTH		LENGTH		WEIGHT	
	IN.	MM	FT	M	LBS	KGS
AE442	1/4	6.35	82.5	25	2.0	0.9
AE443	3/8	9.53	82.5	25	2.6	1.2
AE444	1/2	12.70	82.5	25	3.5	1.6
AE445	5/8	15.88	82.5	25	4.4	2.0
AE446	3/4	19.05	82.5	25	5.3	2.4



Available in mill coil lengths. All sizes in standard cardboard packaging

Clips Uncoated Type 316 Stainless Steel • Pack Qty – 100

PART NUMBER	WIDTH		WEIGHT	
	IN.	MM	LBS	KGS
AE452	1/4	6.35	0.3	0.1
AE453	3/8	9.53	0.6	0.3
AE454	1/2	12.70	1.0	0.4
AE455	5/8	15.88	1.1	0.5
AE456	3/4	19.05	1.3	0.6



Coated clips are available – prices on request



Hand Tools

AE201 Tensioning Hook



Use with BAND-IT® Ties / Multi-Lok Ties to tension cable ties.

AE200 Cable Tie Tensioner



Use with BAND-IT® Ties / Multi-Lok Ties to tension cable ties.

A910 Mini Tie-Lok II Tool



For applying 4.5mm wide smooth ID Mini Tie-Lok® ties for cable bundling and identification tagging. Forms unique dimple lock with a strong locking force and cuts off the excess band flush with top of buckle so the completed lock is smooth and not sharp.

- Forms dimple lock with a loop tensile strength in excess of 100 pounds (445N)
- Adjustable controlled tension with repeatable results
- Easy to use, lightweight, compact design

A920 Tie-Lok® II Tool



Applies 6.35mm wide smooth ID Tie-Lok® ties used in cable bundling and identification tagging. Locks tie with the patented Tie-Lok® and cuts off excess band flush with top of buckle so the completed lock is smooth and not sharp.

- Forms dimple lock with a loop tensile strength in excess of 250 pounds (890N)
- Adjustable controlled tension with repeatable results
- Easy to use, lightweight, compact design

A940 ULTRA-LOK® Tool



Applies 6.35mm wide Smooth ID Tie-Lok® ties. Locks tie with patented Ultra-Lok® cut-off for increased loop tensile strength in excess of 400Lbs (1776N).



C001 BAND-IT® Tool



For use on band widths of 3/16" to 3/4". Comes with a spin handle retaining ring to keep parts intact.

- Able to tension over 2,400 Lbs of force and cuts off the tail of the clamp being formed
- Used to apply BAND-IT® Uncoated Stainless Steel Band
- Drop forged tool with built in cutter
- Spring loaded gripper lever improves ease of use
- Blue epoxy powder coated finish resists corrosive elements

C075 Bantam Tool



BAND-IT® Bantam tool is a compact, lightweight, ratchet action tool with built in cutter.

- 3 way handle adjusts for one or two-handed tensioning
- Zinc plated for corrosion resistance
- Useful in tight areas with minimal access
- Designed for easy loading and removing of material
- Use with coated and uncoated BAND-IT® ties, Coated Band, Coated BAND-FAST™ or Valustrap up to 19mm wide

C400 Ratchet Tool



Heavy duty tensioner for 3/8" to 3/4" stainless steel in thickness up to 0.030". Highly portable, fast, reliable ratchet type tool. For sign hanging, insulation work and other banding applications.

- Tensions and cuts off the tail of the clamp being formed
- Used to apply BAND-IT® Stainless steel bands
- Designed for easy loading and removing of material
- Tool for use with medium strength applications

Hand Tools

J075 Thriftool®



Use with 1/2" wrench to tension. Uncoated band up to 3/8" wide. Does not contain a built in cutter.

J020 Pok-It II Tool



Lightweight pocket sized ratchet tool. Use to tension uncoated band up to 3/8" wide. Incorporates cutter lever.

K502 Ball-Lok Tool



Install Ball-Lok stainless steel ties (up to 7.9mm wide) quickly and easily with the lightweight, portable Ball-Lok tool with adjustable tension, side loading and automatic tail cut-off.

KE922 Tensioning Tool



Tensions and cuts off Ball-Lok and Multi-Lok ties up to 12mm wide regardless of material or coating. Incorporates a manual cut off lever.

M503 Multi-Lok Hand Tool



Quickly, easily and consistently applies any size Multi-Lok ties. Simply adjust the Multi-Lok tool for the desired tension, side load the tie into the tool and squeeze the handle. When the proper tension is reached, the Multi-Lok tool automatically cuts the tail off close to the buckle.

Power Tools

UL4000 Cordless Tool



- Fully portable battery operation
- Adjustable speed and torque
- Consistent application tensioning
- Applies both widths of Ultra-Lok Free-End Clamp*
- One person operation
- Weight 3.88 Lbs (8.56 Kgs)

UL9010 Electric Tool



- Adjustable speed and torque
- Consistent application tensioning
- Applies both widths of Ultra-Lok Free-End Clamp*
- No roll-up of hose required
- One person operation
- Weight 4.3 Lbs (9.48 Kgs)

*1/2" Ultra-Lok clamps require M09387 shear plate fitted to tool

Tool weights

PART NUMBER	DESCRIPTION	TOOL WEIGHT		PACKAGE WEIGHT	
		Kgs	Lbs	Kgs	Lbs
AE201	Tensioning hook	0.02	0.04	0.02	0.04
AE200	Cable tie tensioner	0.26	0.57	0.32	0.71
A910	Mini Tie-Lok II tool	0.54	1.19	0.58	1.28
A920	Tie-Lok II tool	0.54	1.19	0.58	1.28
A940	Ultra-Lok tool	0.54	1.19	0.58	1.28
C001	Band-it tool	1.86	4.10	2.02	4.45
C075	Bantam tool	1.04	2.29	1.18	2.60
C400	Ratchet tool	1.44	3.18	1.52	3.35
J057	Thrifttool	0.26	0.57	0.26	0.57
J020	Pok-It II tool	0.4	0.88	0.48	1.06
K502	Ball-Lok tool	0.54	1.19	0.58	1.28
KE922	Tensioning tool	0.56	1.23	0.64	1.41
M503	Multi-Lok hand tool	0.54	1.19	0.58	1.28
UL4000	Cordless tool	3.88	8.56	10.04	22.14
UL9010	Electric Tool	4.3	9.48	6.02	13.27